

## ESD File Bag

### ◆ Product Description

The ESD L-shaped file bag is made of permanent anti-static material and is used for the safe storage of documents in electrostatically sensitive areas. Its L-shaped opening design facilitates the access to documents. It is cost-effective, durable and has a stable electrostatic value, which helps reduce the damage rate during the production process of electronic products.



- Permanent anti-static performance
- Strong protective capability
- High transparency
- Durable and cost-effective
- Improve production efficiency and quality

### ◆ Product Structure

- ESD File Bag (L-Shaped Opening Style) is made of anti-static PP material. Its opening features an L-shape mainly along the long side with a partial section on the short side. The edge of the opening is reinforced and equipped with anti-slip finger holds, meeting the anti-static document storage needs.

### ◆ Typical Product Data and Physical Properties

Material: Anti-static Polypropylene (PP)  
 Color: Transparent  
 Thickness: 0.18 mm  
 Opening Style: L-type opening  
 Resistance Value:  $10E5-10E9\Omega$   
 Charge Decay Time:  $\leq 1$  second

#### Availability:

Item#	Color	size
1.3.11.01.0019	Transparent	A4

### ◆ Typical Applications

- ESD file bags are suitable for SMT workshops in the electronics manufacturing industry, electronic laboratories, wafer areas of semiconductor factories, and electronic maintenance stores. By virtue of the convenience of L-shaped openings and the anti-static properties of ESD-based materials, they meet the storage needs for electrostatically sensitive documents across multiple scenarios.

### ◆ Technical and Application Assistance

HORB provides a technical hotline to answer your technical and application related questions.

### ◆ Note:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. HORB data for reference only.

KANBO is registered trademark of HORB. All rights reserved.